

WEBER COUNTY DEED INDEX

021

Follows ~~182-6P~~ 243 PT

SERIAL NUMBER ~~PCE-74186~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

12-11A 2

12-11B

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County	✓	121	259	QCD	10-2-34	10-11-34

DESCRIPTION OF PROPERTY:

LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6N RANGE 2W ACRES 0.04

Right of way for Highway known as Hooper-Plain City Road (NRS 155). A strip or tract of land 80 feet wide, same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road as far as said strip lies within the grantor's land in Section 5, Township 6 North Range 2 West Salt Lake Base and Meridian. Said center line within Section 5 is more particularly

✓ 11.13.88 8

described as follows: Beginning at the North $\frac{1}{2}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road, with the North line of Section 5. Said intersection corresponds to Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1432.69 feet with the tangent to the arc at this point bearing North 13° 40' East) a distance of 327.9 feet to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South 0° 55' West a distance of 324.9 feet from the North $\frac{1}{2}$ corner of Section 5. Thence tangent to said curve run South 0° 34' West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet a distance of 490.0 feet thence tangent to said curve run South 14° 08' East a distance of 867.4 feet thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet a distance of 241.7 feet, thence tangent to said curve run South 0° 22' West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5 said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said grantor's land lies approximately between Engineers Station 323/72 and Engineer Station 328/57 of said Survey. Containing 0.44 acres more or less. Less approximately 0.40 acres occupied by existing Highway. Balance 0.04 acres new right of way.

TRANSCRIBED BY: JP

DATE 8-2-39

CERTIFIED:

VERIFIED BY: *KKP*

DATE 8-22-39

15-018-0041

COUNTY RECORDER

Follows

WEBER COUNTY DEED INDEX

182 CP

SERIAL NUMBER PG-7186

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		121	260	QCD	10-2-34	10-11-34

DESCRIPTION OF PROPERTY:

LOT _____

BLOCK _____

PLAT _____

SEC. 5TWN. 6NRANGE 2WACRES 0.07 0.03

Right of way for highway known as Hooper-Plain City Road (NRS 155). A strip or tract of land 80 feet wide, same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road, as far as said strip lies within the grantor's land in Section 5, Township 6 North Range 2 West Salt Lake Base and Meridian. Said center line within Section 5 is more particularly

described as follows: Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said ²⁶survey of the Hooper-Plain City Road, with the North line of Section 5, Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1432.69 feet with the tangent to the arc at this point bearing North 13° 40' East) a distance of 327.9 feet to the end of curve which corresponds to Engineer Station 372/73.10 and which bears South 0° 55' West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5. Thence tangent to said curve run South 0° 34' West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet, a distance of 490.0 feet, thence tangent to said curve run South 14° 08' East a distance of 867.4 feet, thence in a Southerly direction along an arc of a radius of 955.37 feet, a distance of 241.7 feet, thence tangent to said curve, run South 0° 22' West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5, said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said grantor's land lies approximately between Engineer's Station 328/57-332/84 and Engineer Station 330/58-334/97 of said survey. Containing 0.37-0.20 acres more or less. Less approximately 0.30-0.17 acres occupied by existing highway. Balance 0.07-0.03 acres new right of way.

JP

8-3-39

TRANSCRIBED BY:

DATE

CERTIFIED:

VERIFIED BY:

DATE

15-08-0041

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 Cp

SERIAL NUMBER ~~PC-7136~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		121	261	QCD	10-2-34	10-11-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6N RANGE 2W ACRES 0.11

Right of way for Highway known as Hooper-Plain City Road (NRS 155). A strip or tract of land 80 feet wide same being 40 feet on each side of and lying parallel and adjacent to the center line of the Survey of the said Hooper Plain City Road, as far as said strip lies within the grantor's land in Section 5, Township 6 North Range 2 West Salt Lake Base and Meridian.

89A
Said center line within Section 5 is more particularly described as follows: Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1432.69 feet with the tangent to the arc at this point bearing North $13^{\circ} 40'$ East), a distance of 327.9 feet to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5. Thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet, a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 08'$ East a distance of 867.4 feet; thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet, a distance of 241.7 feet, thence tangent to said curve run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5 said point of intersection lies 2603 feet West of the Southeast corner of Section 5, Said grantor's land lies approximately between Eng. Sta. 349/48 and Eng. Sta. 356/14 of said survey. Containing 0.61 acres more or less Less approximately 0.50 acres occupied by existing highway. Balance 0.11 acres new right of way.

TRANSCRIBED BY: JP DATE: 8-2-39
VERIFIED BY: *[Signature]* DATE: 9-2-39

CERTIFIED:

15-018-0041

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

~~2057186~~

SERIAL NUMBER _____

ASS. DIST. _____

ASS. NO. _____

15-D18-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County	✓	121	263	QCD	10-2-34	10-11-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6 North RANGE 2 West ACRES 0.11

116
 Right of way for highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide, same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of said Hooper-Plain City Road, as far as said strip lies within the grantor's land in Section 5, Township 6 North, Range 2 West Salt Lake Base and Meridian. Said center line within Section 5, is more particularly

described as follows: Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road, with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point of place of beginning. Thence running Southwesterly on an arc of a circular curve, (having a radius of 1432.69 feet with the tangent to the arc at this point bearing North $13^{\circ} 40'$ East). a distance of 327.9 feet, to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5. thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet, a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 08'$ East a distance of 867.4 feet thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet a distance of 241.7 feet, thence tangent to said curve run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5 said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said grantor's land lies approximately between Engineer Station 349/48 and Engineer Station 356/17 of said survey. Containing 0.61 acres more or less. Less approximately 0.50 acres occupied by existing highway. Balance 0.11 acres new right of way.

15-018-0041

TRANSCRIBED BY: JP DATE 8-2-39 CERTIFIED:
VERIFIED BY: *ELP* DATE 9-21-39

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

SERIAL NUMBER ~~PC-7186~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		121	264	QCD	10-2-34	10-11-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6 North RANGE 2 West ACRES 0.01

Right of way for Highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide, same being 40 feet on each side of and lying parallel and adjacent to the center line of the Survey of the said Hooper-Plain City Road as far as said strip lies within the Grantor's land in Section 5, Township 6 North, Range 2 West Salt Lake

Base and Meridian. Said center line within Section 5 is more particularly described as follows: Beginning at the North $\frac{1}{4}$ corner of said Section 5, ¹⁶¹ run East a distance of 35.3 feet to the intersection of the center line of said survey of the Hooper-Plain City Road with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1432.69 feet with the tangent to the arc at this point bearing North $13^{\circ} 40'$ East), a distance of 327.9 feet, to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5. Thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet a distance of 490.0 feet, thence tangent to said curve run $14^{\circ} 08'$ East a distance of 867.4 feet, thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet, a distance of 241.7 feet, thence tangent to said curve, run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection of the center line of said Survey with the South line of Section 5, said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said grantor's land lies approximately between Engineer Station 373/28 and Engineer Station 376/01 of said survey. Containing 0.25 acres more or less. Less approximately 0.24 acres occupied by existing highway. Balance 0.01 acres new right of way.

TRANSCRIBED BY _____ JP _____ DATE 8-2-39
VERIFIED BY: g & q _____ DATE 8-19-39 _____ CERTIFIED: _____

15-018-0041

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

SERIAL NUMBER

~~15-7186~~

ASS. DIST.

ASS. NO.

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		121	267	QCD	10-8-34	10-13-34

DESCRIPTION OF PROPERTY:

LOT

5

BLOCK

6 North

PLAT

2 West

SEC.

TWNSHP.

RANGE

ACRES

0.12

Right of way for Highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road as far as said strip lies within the grantor's land in Section 5, Township 6 North, Range 2 West Salt Lake Base and Meridian. Said center line within Section 5 is more particularly described

as follows: Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running South-westerly on an arc or a circular curve (having a radius of 1432.69 feet with a tangent to the arc at this point bearing North $13^{\circ} 40'$ East) a distance of 327.9 feet, to the end of curve which corresponds to Engineer Station 373/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5, thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence ²⁰⁹ Southeasterly along an arc of a circular curve having a radius of 1910.8 feet, a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 09'$ East a distance of 867.4 feet, thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet a distance of 1241.7 feet, thence tangent to said curve run South $0^{\circ} 22'$ West a distance of 201.0 feet to the intersection of the center line of said survey with the South line of Section 5 said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said Grantor's land lies approximately between Engineer's Station 356/17 and Engineer's Station 362/77 of said Survey. Containing 0.61 acres more or less. Less approximately 0.49 acres occupied by existing highway. Balance 0.12 acres new right of way.

Start line 221

TRANSCRIBED BY: JP

DATE 8-2-32 CERTIFIED:

VERIFIED BY: 37 JP

DATE 9-27-32

15-018-0041

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

SERIAL NUMBER ~~PC 7186~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County	✓	121	268	QCD	10-8-34	10-3-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6 North RANGE 2 West ACRES 0.09

22' Right of way for highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road as far as said strip lies within the grantor's land in Section 5 Township 6 North Range 2 West, Salt Lake Base and Meridian Said center line within Section 5 is more particularly described as follows:

Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road, with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc or a circular curve (having a radius of 1432.69 feet, with a tangent to the arc at this point bearing North $13^{\circ} 40'$ East), a distance of 327.9 feet, to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5. Thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 09'$ East a distance of 867.4 feet, thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet a distance of 241.7 feet thence tangent to said curve run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5, and point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said Grantor's land lies approximately Between Engineer's Station 356/14 and Engineer's Station 361/08 of said survey! Containing 0.45 acres more or less. Less Approximately 0.36 acres occupied by existing highway. Balance 0.09 acres new right of way.

15-018-0041

TRANSCRIBED BY: JP

DATE 8-2-39

CERTIFIED:

VERIFIED BY: RJP

DATE 8-21-39

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows ~~122-04~~ 243 PT

SERIAL NUMBER ~~PS-7186~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		121	290	QCD	10-15-34	10-18-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6N RANGE 2W ACRES 0.18

Right of way for Highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide, same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road as far as said strip lies within the grantor's land in Section 5, Township 6 North Range 2 West Salt Lake Base and Meridian Said Center line within Section 5 is more particularly described as follows:

Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said Survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1432.69 feet with the tangent to the arc at this point bearing North $13^{\circ} 40'$ East) a distance of 327.9 feet to the end to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet, from the North $\frac{1}{4}$ corner of Section 5, thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 08'$ East a distance of 867.4 feet, thence in a Southerly direction, along an arc of a circular curve having a radius of 955.37 feet a distance of 241.7 feet, thence tangent to said curve, run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5, said point of intersection lies 2603 feet West of the South East corner of Section 5, said grantor's land lies approximately between Engineer's Station 322/90 and Engineer's Station 328/57 of said Survey. Contain 0.52 acres more or less. Less approximately 0.34 acres occupied by existing highway. Balance 0.18 acres new right of way.

15-018-0041

TRANSCRIBED BY JP DATE 8-2-39 CERTIFIED:
VERIFIED BY: JP DATE 9-20-39

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

SERIAL NUMBER ~~PC-7186~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County	✓	121	292	QCD	10-16-34	10-18-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6N RANGE 2W ACRES 0.01

Right of way for highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road as far as said strip lies within the grantor's land in Section 5, Township 6 North Range 2 West Salt Lake Meridian. Said center line within Section 5 is more particularly described as follows:

Page 312A

Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road, with the North line of Section 5. Said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1423.69 feet with the tangent to the arc at this point bearing North $13^{\circ} 40'$ East) a distance of 327.9 feet to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance 324.9 feet, from the North $\frac{1}{4}$ corner of Section 5. thence (tangent) to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet, thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 08'$ East a distance of 867.4 feet, thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet a distance of 241.7 feet, thence tangent to said curve, run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection to the center line of said survey with the South line of Section 5 said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said grantor's land lies approximately between Engineer Station 322/90 and Engineer Station 323/72 of said survey. Containing 0.08 acres more or less. Less approximately 0.07 acres occupied by existing highway. Balance 0.01 acres new Right of way.

15-018-0041

TRANSCRIBED BY: JP
VERIFIED BY: *JP*
DATE 8-2-39
DATE 9-21-39
CERTIFIED:

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

SERIAL NUMBER ~~182-7186~~

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		121	327	QCD	10-20-34	10-25-34

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP 6 North RANGE 2 West ACRES 0.23

Right of way for Highway known as Hooper-Plain City Road (N.R.S. 155). A strip or tract of land 80 feet wide ³²⁶/same being 40 feet on each side of and lying parallel and adjacent to the center line of the survey of the said Hooper-Plain City Road, as far as said strip lies within the Grantor's land in Section 5, Township 6 North Range 2 West Salt Lake Base and Meridian. Said center line within Section 5 is more particularly

described as follows: Beginning at the North $\frac{1}{4}$ corner of said Section 5 run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road, with the North line of Section 5, said intersection corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running Southwesterly on an arc of a circular curve (having a radius of 1423.69 feet with the tangent to the arc at this point bearing North $13^{\circ} 40'$ East) a distance of 327.9 feet to the end of curve which corresponds to Engineer Station 372/73.1 and which bears South $0^{\circ} 55'$ West a distance of 324.9 feet from the North $\frac{1}{4}$ corner of Section 5. thence tangent to said curve run South $0^{\circ} 34'$ West a distance of 3179.4 feet; thence Southeasterly along an arc of a circular curve having a radius of 1910.8 feet a distance of 490.0 feet, thence tangent to said curve run South $14^{\circ} 08'$ East a distance of 867.4 feet, thence in a Southerly direction along an arc of a circular curve having a radius of 955.37 feet, a distance of 241.7 feet, thence tangent to said curve run South $0^{\circ} 22'$ West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5 said point of intersection lies 2603 feet West of the Southeast corner of Section 5. Said grantor's land lies approximately between Eng. Sta. 337/18 and Eng. Sta. 347/85 of said survey. Containing 0.98 acres more or less Less appro. 0.75 acres occupied by existing highway. Balance 0.23 acres new

right of way.

TRANSCRIBED BY: JP

DATE 8-2-39 CERTIFIED:

VERIFIED BY: J. P. J.

DATE 9-20-39

15-018-0041

COUNTY RECORDER

WEBER COUNTY DEED INDEX

Follows 182 CP

SERIAL NUMBER PG-7186

ASS. DIST. _____

ASS. NO. _____

15-018-0041

OWNER	ADDRESS	DEED REFER.		INSTRUMENT	DEED DATE	DATE RECORDED
		BOOK	PAGE			
Weber County		132	392	Q.C.D.	2-20-39	3-2-39

DESCRIPTION OF PROPERTY: LOT _____ BLOCK _____ PLAT _____
 SEC. 5 TWNSHP. 6 N RANGE 2 W ACRES .50

Right of way for Highway known as Hooper-Plain City Road (S.R. 712)
 A strip or tract of land 80 feet wide, same being 40 feet on each side of
 and lying parallel and adjacent to the center line of the survey of the
 said Hooper-Plain City Road, as far as said strip lies within the grantor's
 land in Section 5, Township 6 North Range 2 West, Salt Lake Base and Meri-
 dian, said center line within ³⁷Section 5 is more particularly described as

follows: Beginning at the North 1/4 corner of said Section 5, run East a distance of 35.3 feet to the intersection of the center line of the said survey of the Hooper-Plain City Road, with the North line of Section 5. Said intersection ²⁷corresponds with Engineer Station 376/01 of said survey and is the initial point or place of beginning. Thence running South-westerly on an arc or a circular curve, (having a radius of 1432.69 feet, with a tangent to the arc at this point bearing N. 13 deg. 40' E.) a distance of 327.9 feet, to the end of a curve which corresponds to Engineer Station 372/73.1, and which bears South 0 deg. 55' West a distance of 324.9 feet from the North 1/4 corner of Section 5, thence tangent to said curve run South 0 deg. 34' West a distance of 3179.4 feet, thence South-easterly along an arc of circular curve having ³⁸⁹a radius of 1910.08 feet, a distance of 490.0 feet, thence tangent to said curve run South 14 deg. 08' East a distance of 867.4 feet thence in a southerly direction, along an arc of a circular curve having a radius of 955.37 feet, a distance of 241.7 feet, thence tangent to said curve, run ³⁹⁶South 0 deg. 22' West a distance of 204.6 feet to the intersection of the center line of said survey with the South line of Section 5, said point of intersection lies 2603 feet West of the South East corner of Section 5. Said Grantor's land lies approximately between Eng. Sta. 362/ 77/ and Eng. Sta. 368/ 16/ of said survey. Containing .50 acres more or less.

15-018-0041

TRANSCRIBED BY: JG DATE 9-27-39 CERTIFIED:
VERIFIED BY: B & J DATE 9-27-39

COUNTY RECORDER