
TOWNSHIP 5 NORTH, RANGE 1 EAST, SALT LAKE BASE & MERIDIAN, SECTIONS 3 AND 4 TOWNSHIP 6 NORTH, RANGE 1 EAST, SALT LAKE BASE & MERIDIAN, SECTIONS 28, 29, 32, 33, 34 AND 35 WEBER COUNTY, UTAH SURVEY OF NATIONAL FOREST BOUNDARY



PURPOSE OF SURVEY

THIS SURVEY WAS MADE AT THE REQUEST OF THE USDA FOREST SERVICE, FOR THE PURPOSE OF RESTORING, ESTABLISHING, MARKING, AND PERPETUATING THE CORNERS AND PROPERTY LINES WHICH DEFINE THE LANDS OWNED BY THE UNITED STATES OF AMERICA AND ADMINISTERED BY THE USDA FOREST SERVICE.

BASIS OF BEARING

BEARINGS SHOWN ARE STATE PLANE GRID BEARINGS. UTAH NORTH ZONE. NAD 27, ESTABLISHED BY GLOBAL POSTIONING SYSTEM. DISTANCES SHOWN ARE

LEGEND

NATIONAL FOREST BOUNDARY SURVEYED AND MARKED.



1967 BLM BRASS CAP MONUMENT ON AN IRON POST.

1991 FOREST SERVICE MONUMENT SET FROM ORIGINAL EMDENCE.

2006 FOREST SERVICE MONUMENT.

FOUND WEBER COUNTY MONUMENT.

REFERENCES

1971 B.L.M. DEPENDENT RESURVEY OF SECTIONS 28, 29, 32, 33 AND 34. A PORTION OF T. 6N., R. 1 E., SLB&M, CONDUCTED BY HATCH AND CHAPPELL UNDER SPECIAL INSTRUCTIONS DATED MAY 25, 1966, GROUP No. 488, UTAH.

1993 U.S. FOREST SERVICE BOUNDARY SURVEY OF A PORTION OF SECTIONS 4 AND 3, T 5N., R 1 E., SLB&M, CONDUCTED BY J.R. MANNING

CERTIFICATE OF SURVEY

I. HENRY J. PETERSON, L.S. No. 501184, STATE OF UTAH DO HEREBY CERTIFY THAT THE SURVEY REPRESENTED ON THIS PLAT WAS PERFORMED BY ME OR UNDER MY SUPERVISION IN ACCORDANCE WITH THE LAWS OF THE STATE OF UTAH, AS AN AGENT OF AND FOR THE EXCLUSIVE USE OF THE U.S. DEPARTMENT OF AGRICULTURE, FOREST SERVICE.



NOTES

FIELD WORK WAS PERFORMED USING TRIMBLE 4400 AND TRIMBLE 5700 GLOBAL POSITIONING SYSTEM UNITS. ALSO USED - TOPCON GTS-301 TOTAL STATION.

CORNER PERPETUATION AND MONUMENTATION RECORDS FILED SEPARATELY.



GEOGRAPHIC COORDINATES SHOWN, ARE BASED ON THE 1983 NORTH AMERICAN DATUM, LATITUDE AND LONGITUDE WERE ESTABLISHED BY POST PROCESSING UTILIZING THE U.S. NATIONAL GEODETIC SURVEY'S ON-LINE POSITIONING USER SERVICE (OPUS).

DISTANCES SHOWN ARE IN FEET.

ALL FOREST SERVICE MONUMENTS ARE AN ALUMINUM POST OR 30" DRIVE STEM WITH A 3 1/2" DIAMETER ALUMINUM CAP, WITH IDENTIFYING "LOGO":

RECEIVED REGION 4 APR 0 3 2008

SNOWBASIN PROJECT NAME

> U.S. DEPARTMENT OF AGRICULTURE FOREST SERVICE

> > WASATCH-CACHE NATIONAL FOREST

RECORD OF SURVEY NATIONAL FOREST BOUNDARY

TOWNSHIP 6 N., RANGE 1 E., SLB&M, SECTIONS 28, 29, 32, 33, 34 & 35 TOWNSHIP 5 N., RANGE 1 E., SLB&M, SECTIONS 3 AND 4 WEBER COUNTY, UTAH

SURVEYED BY: JOE PETERSON, DAN GILLINS, CALVERT NORTON AND TERRY KESSEL. DATE: 2006	DRAWN BY: TK	COMPUTER FILE:
THIS SURVEY WAS MADE AT MY REQUEST AND ACCEPTED FOR NATIONAL FOREST MANAGEMENT PURPOSES:	CHECKED BY:	FIELD BOOK No:
FOREST SUPERVISOR DATE: 3/17/08	SHEET: 1 OF 1	PLAT No:

A parcel of land at Snowbasin Ski Resort situated in Sees. 3 and 4, T. 5 N., R. 1 E.; and also Sees. 28, 29, 32, 33, 34, and 35, T. 6 N., R. 1 E., Salt Lake Meridian, Weber and Morgan Counties, Utah, more particularly described as follows:

Beginning at the southeast corner of Sec. 34, T. 6 N., R. 1 E., Salt Lake Meridian; thence N. 27°05′ 17″ E., 468.09 feet, to a standard U.S. Forest Service (USFS) survey monument; thence S. 64°16′42″ W., 166.67 feet, to a standard USFS survey monument; thence S. 38°21′ 49″ W., 318.29 feet, to a standard USFS survey monument; thence S. 54°26′ 10″ W., 168.62 feet, to a standard USFS survey monument; thence S. 89°28′38″ W., 168.96 feet, to a standard USFS survey monument; thence N. 74°24′52″ W., 65.14 feet, to a standard USFS survey monument;

thence N. 83°48'34" W., 163.89 feet, to a standard USFS survey monument; thence S. 86°47'44" W., 516.67 feet, to a standard USFS survey monument;

thence N. 88°14'30" W., 191.77 feet, to a standard USFS survey monument; thence N. 66°49'04" W., 192.73 feet, to a standard USFS survey monument; thence N. 61°48'03" W., 206.74 feet, to a standard USFS survey monument; thence N. 75°47'33" W., 381.60 feet, to a standard USFS survey monument; thence S. 83°41'50" W., 364.20 feet, to a standard USFS survey monument;

thence S. 70°11 '21" W., 1197.45 feet, to a standard USFS survey monument; thence S. 79°22'43" W., 345.30 feet, to a standard USFS survey monument;

thence N. 73°48' 14" W., 334.17 feet, to a standard USFS survey monument; thence N. 49°38'32" W., 334.17 feet, to a standard USFS survey monument; thence N. 25°28'50" W., 334.17 feet, to a standard USFS survey monument; thence N. 00°47'25" E., 355.40 feet, to a standard USFS survey monument;

thence N. 10°59′ 50″ E., 1161.11 feet, to a standard USFS survey monument; thence N. 02°17′25″ W., 342.90 feet, to a standard USFS survey monument; thence N. 15°56′27″ W., 375.43 feet, to a standard USFS survey monument; thence N. 29°50′57″ W., 970.88 feet, to a standard USFS survey monument; thence N. 15°21′47″ W., 399.23 feet, to a standard USFS survey monument; thence N. 00°52′38″ W., 356.66 feet, to a standard USFS survey monument; thence N. 15°46′51″ W., 311.76 feet, to a standard USFS survey monument; thence N. 29°32′39″ W., 313.64 feet, to a standard USFS survey monument; thence N. 43°11′46″ W., 298.49 feet, to a standard USFS survey monument; thence N. 57°44′26″ W., 287.22 feet, to a standard USFS survey monument; thence N. 56°44′43″ W., 349.98 feet, to a standard USFS survey monument; thence N. 56°44′43″ W., 349.98 feet, to a standard USFS survey monument;

thence N. 39°59' 11" W., 317.67 feet, to a standard USFS survey monument; thence N. 19°52' 16" W., 304.52 feet, to a standard USFS survey monument; thence N. 00°14'07" E., 1306.80 feet, to a standard USFS survey monument; thence along the northerly, 100-foot right-of-way line of Utah State Route 226 thru the following courses:

Along the arc of a curve to the left having a radius of 1,637.68 feet and a central angle of 06°43'20" (chord bears: N. 78°31'18" W., 192.03 feet) 192.14 feet, to the point of a compound curve;

thence along the arc of a curve to the left having a radius of 732.81 feet and a central angle of 46°36'37" (chord bears: S. 74°48'44" W., 579.83 feet) 596.14 feet; thence S. 51°30'25" W., 101.22 feet;

thence along the arc of a curve to the right having a radius of 198.36 feet and a central angle of 35°19'25" (chord bears: S. 69°10'07" W., 120.36 feet) 122.29 feet; thence S. 86°49'50" W., 45.00 feet;

thence along the arc of a curve to the right having a radius of 78.33 feet and a central angle of 31°19'31" (chord bears: N. 77°30'25" W., 42.29 feet) 42.82 feet, to the point of a reverse curve;

thence along the arc of a curve to the left having a radius of 639.24 feet and a central angle of 41°48'19" (chord bears: N. 82°44'49" W., 456.14 feet) 466.42 feet; thence S. 76°21 '02" W., 74.95 feet;

thence along the arc of a curve to the right having a radius of 1,054.97 feet and a central angle of 12°22'20" (chord bears: S. 82°32' 12" W., 227.36 feet) 227.80 feet; thence S. 88°43'21" W., 523.95 feet;

thence along the arc of a curve to the right having a radius of 181.79 feet and a central angle of 73°23'25" (chord bears: N. 54°34'56" W., 217.25 feet) 232.85 feet; thence N. 17°53' 14" W., 93.90 feet;

thence along the arc of a curve to the left having a radius of 297.64 feet and a central angle of 48°58'02" (chord bears N. 42°22' 15" W., 246.71 feet) 254.38 feet; thence N. 66°51'15" W., 315.66 feet;

thence along the arc of a curve to the left having a radius of 330.06 feet and a central angle of 46°08'48" (chord bears: S. 89°55'39" W., 258.71 feet) 265.84 feet, to the point of a reverse curve;

thence along the arc of a curve to the right having a radius of 105.78 feet and a central angle of 40°46′ 19″ (chord bears S. 87°26′06″ W., 73.69 feet) 75.27 feet, to the point of a compound curve;

thence along the arc of a curve to the right having a radius of 280.88 feet and having a central angle of 16°44'29" (chord bears: N. 63°51 '30" W., 81.78 feet) 82.07 feet, to the point of a reverse curve;

thence along the arc of a curve to the left having a radius of 436.50 feet and a central angle of 46°44'50" (chord bears: N. 78°51'41" W., 346.34 feet) 356.14 feet; thence S. 77°45'54" W., 29.09 feet;

thence along the arc of a curve to the right having a radius of 277.35 feet and a central angle of 35°52'29" (chord bears: N. 84°17'52" W., 170.84 feet) 173.66 feet; thence N. 66°21 '37" W., 257.54 feet;

thence along the arc of a curve to the left having a radius of 593.75 feet and a central angle of 13°06'27" (chord bears: N. 72°54'51" W., 135.54 feet) 135.83 feet to the point of a compound curve;


thence along the arc of a curve to the left having a radius of 689.65 feet and a central angle of 24°28'54" (chord bears S. 88°17'28" W., 292.44 feet) 294.68 feet, and to the

DEED INFORMATION

WARANTY DEED: ENTRY # 1707414, BOOK 2073, PAGE 2278, RECORDED 5-24-2000. WEBER COUNTY RECORDER'S OFFICE.

CERTIFICATE OF SURVEY

I, HENRY J. PETERSON, L.S. No. 501184, STATE OF UTAH DO HEREBY CERTIFY THAT THE SURVEY REPRESENTED ON THIS PLAT WAS PERFORMED BY ME OR UNDER MY SUPERVISION IN ACCORDANCE WITH THE LAWS OF THE STATE OF UTAH, AS AN AGENT OF AND FOR THE EXCLUSIVE USE OF THE U.S. DEPARTMENT OF AGRICULTURE, FOREST SERVICE.



REGION 4

TOWNSHIP 6 NORTH
TOWNSHIP 5 I

004n3=

RECEIVED

APR 0 3 2008

WEBER CO SURVEYOR

PROJECT NAME

SNOWBASIN

U.S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

WASATCH-CACHE NATIONAL FOREST

RECORD OF SURVEY NATIONAL FOREST BOUNDARY

TOWNSHIP 6 NORTH, RANGE 1 EAST, slb&m SECTIONS 28,29,32,33,34,35 TOWNSHIP 5 NORTH, RANGE 1 EAST, slb&m SECTIONS 3 & 4

WEBER COUNTY, UTAH

SURVEYED BY:

TERRY W. KESSEL

DATE: SEPT. 2006

TWK

THIS SURVEY WAS MADE AT MY REQUEST AND ACCEPTED FOR CHECKED BY:

NATIONAL FOREST MANAGEMENT PURPOSES:

DATE: 3/7/0/ SHEET:

PLAT No:

PLAT No:

point of a compound curve;

thence along the arc of a curve to the left having a radius of 2547.36 feet and a central angle of 03°44'30" (chord bears: S. 74°10'47" W., 166.33 feet) 166.36 feet;

thence S. 72°18'31" W., 202.73 feet;

thence along the arc of a curve to the left having a radius of 628.54 feet and a central angle of 23°19'57" (chord bears: S. 60°38'33" W., 254.20 feet) 255.96 feet, to the point of a compound curve;

thence along the arc of a curve to the left having a radius of 1,748.83 feet and a central angle of 09°55′11" (chord bears: S. 44°00′59" W., 302.40 feet) 302.78 feet, to the point of a compound curve;

thence along the arc of a curve to the left having a radius of 352.33 feet and a central angle of 40°31′40" (chord bears: S. 18°47′34" W., 244.05 feet) 249.22 feet, to the point of a compound curve;

thence along the arc of a curve to the left having a radius of 787.21 feet and a central angle of 14°44′ 15" (chord bears: S. 08°50′24" E., 201.93 feet) 202.48 feet;

thence S. 16°03'27" E., 168.06 feet, to a standard USFS survey monument;

thence leaving said 100-foot, right-of-way line, S. 61 °00'58" W., 39.82 feet, to a standard USFS survey monument;

thence S. 10°27' 16" W., 137.56 feet, to a standard USFS survey monument;

thence S. 03°01'48" E., 351.16 feet, to a standard USFS survey monument;

thence S. 24°12'58" W., 302.00 feet, to a standard USFS survey monument;

thence N. 89°43′52" W., 856.83 feet, to a railroad spike set in the centerline of the existing Maples Campground Road;

thence along said centerline of road thru the following courses:

thence S. 14°36′38″ W., 14.61 feet;

thence S. 06°25'35" E., 55.54 feet;

thence S. 00°01' 14" E., 74.91 feet; thence S. 05°46′45" W., 64.17 feet;

thence S. 12°40'46" W., 77.78 feet;

thence S. 05°40'31" W., 87.81 feet;

thence S. 01 °49'57" W., 74.17 feet;

thence S. 06°46′ 19" E., 244.59 feet; thence S. 02°02'02" E., 80.63 feet;

thence S. 06°38'09" W., 55.26 feet;

thence S. 13°15'45" W., 89.45 feet;

thence S. 15°47'55" W., 214.44 feet;

thence S. 09°32′26" W., 156.88 feet;

thence S. 12°45'32" W., 111.76 feet; thence S. 17°33'56" W., 65.90 feet;

thence S. 14°59'32" W., 71.55 feet;

thence S. 10°25'50" W., 79.99 feet;

thence S. 07°17′09" W., 86.76 feet;

thence S. 06°34'44" W., 56.48 feet, to a railroad spike set in the centerline of said

road;

thence leaving said centerline, N. 89°45'53" W., 344.04 feet, to a standard USFS survey monument;

thence S. 00°14'07" W., 1,183.89 feet, to a standard USFS survey monument; thence S. 89°45'53" E., 2,042.19 feet, to a standard USFS survey monument; thence S. 00°40′ 10″ E., 1,067.86 feet, to a standard USFS survey monument; thence S. 89°45'53" E., 1,506.67 feet, to a standard USFS survey monument; thence S. 00°14'07" W., 4,392.10 feet, to a standard USFS survey monument; thence N. 87°32'57" E., 2,833.40 feet, to a standard IISE'S survey monument; thence N. 52°18'54" E., 1,855.65 feet, to a standard USFS survey monument; thence N. 77°29'50" E., 1,391.68 feet, to a standard USFS survey monument; thence N. 65°32'40" E., 1,553.50 feet, to a standard USFS survey monument; thence S. 86°20'47" E., 1,619.61 feet, to a standard USFS survey monument; thence N.

Containing 1,377.60 acres more or less.

68°58'25" E., 1,192.41 feet, to the point of beginning.

The bearings shown are state plane grid bearings, Utah North Zone, NAD 27, established by Global Positioning System. The distances shown are ground.

CERTIFICATE OF SURVEY

HENRY J. PETERSON, L.S. No. 501184, STATE OF AND FOR THE EXCLUSIVE USE OF THE U.S. DEPARTMENT OF AGRICULTURE, FOREST SERVICE.

DEED INFORMATION

WARRANTY DEED: ENTRY # 1707414, BOOK 2073, PAGE 2278, RECORDED 5-24-2000, WEBER COUNTY RECORDER'S OFFICE.



004037

PROJECT NAME

RECEIVED

APR 0 3 2008 **WEBER CO SURVEYOR**

U.S. DEPARTMENT OF AGRICULTURE FOREST SERVICE WASATCH-CACHE NATIONAL FORES **REGION 4** RECORD OF SURVEY NATIONAL FOREST BOUNDARY TOWNSHIP 5 NORTH, RANGE 1 EAST, SLB&M SECTIONS 4 AND 3 TOWNSHIP 6 NORTH, RANGE 1 EAST, SLB&M SECTIONS 28,29,32,33,34 AND 35 WEBER COUNTY, UTAH

SNOWBASIN

COMPUTER FILE: SURVEYED BY: DATE: September 2006 THIS SURVEY WAS MADE AT MY REQUEST AND ACCEPTED FOR CHECKED BY: FIELD BOOK No: