

VICINITY MAP

### TITLE EXCEPTIONS

PER OLD REPUBLIC NATIONAL TITLE INSURANCE COMPANY COMMITMENT NO. 181656 DATED AUGUST 31, 2020

EXCEPTIONS #1-13, 17-18, & 22-31 ARE NOT SURVEY ITEMS AND CANNOT BE PLOTTED GRAPHICALLY.

EXCEPTION #14 - EASEMENT AGREEMENT GRANTEE: WEST HAVEN SPECIAL SERVICE DISTRICT PURPOSE: A TEMPORARY CONSTRUCTION EASEMENT AND A PERMANENT EASEMENT TO SURVEY, CLEAR AND EXCAVATE FOR, LAY, CONSTRUCT, OPERATE, INSPECT, MAINTAIN, PROTECT, REPAIR, REPLACE OR REMOVE SEWER UTILITY PIPELINE (SEWER) AND APPURTENANCES ONLY FOR THE TRANSPORTATION OF WASTE WATER AND WASTE MATERIALS TO WHICH CAN BE TRANSPORTED THROUGH SAID SEWER PIPELINE ALONG A ROUTE ON, UNDER, ACROSS AND THROUGH SAID LAND AND INCIDENTAL PURPOSES. DATED: MARCH 13, 2002

ENTRY NUMBER: 2192452 (25' SEWER EASEMENT SHOWN ON PLAT)

RECORDED: JULY 10, 2006

EXCEPTION #15 - EASEMENT AGREEMENT

PURPOSE: A TEMPORARY CONSTRUCTION EASEMENT AND A PERMANENT EASEMENT TO SURVEY, CLEAR AND EXCAVATE FOR, LAY, CONSTRUCT, OPERATE, INSPECT, MAINTAIN, PROTECT, REPAIR, REPLACE OR REMOVE SEWER UTILITY PIPELINE (SEWER) AND APPURTENANCES ONLY FOR THE TRANSPORTATION OF WASTE WATER AND WASTE MATERIALS TO WHICH CAN BE TRANSPORTED THROUGH SAID SEWER PIPELINE ALONG A ROUTE ON, UNDER, ACROSS AND THROUGH SAID LAND AND INCIDENTAL PURPOSES DATED: MARCH 13, 2002

RECORDED: JULY 10, 2006 ENTRY NUMBER: 2192454

(25' SEWER EASEMENT SHOWN ON PLAT)

EXCEPTION #16 - RIGHT OF WAY GRANT

GRANTEE: PACIFICORP, AN OREGON CORPORATION, D/B/A ROCKY MOUNTAIN POWER PURPOSE: TO CONSTRUCT, RECONSTRUCT, OPERATE, MAINTAIN AND REPAIR ELECTRIC TRANSMISSION AND OTHER EQUIPMENT OVER, UNDER AND ACROSS A PORTION OF THE SUBJECT LAND. RECORDED: FEBRUARY 12, 2008 ENTRY NUMBER: 2321066

(POWER EASEMENT SHOWN ON PLAT. SAME AS EXCEPTION #19.)

EXCEPTION #19 - RIGHT OF WAY GRANT

GRANTEE: PACIFICORP, AN OREGON CORPORATION, D/B/A ROCKY MOUNTAIN POWER PURPOSE: TO CONSTRUCT, RECONSTRUCT, OPERATE, MAINTAIN AND REPAIR ELECTRIC TRANSMISSION AND OTHER EQUIPMENT OVER, UNDER AND ACROSS A PORTION OF THE SUBJECT LAND RECORDED: SEPTEMBER 18, 2008

ENTRY NUMBER: 2365647 (POWER EASEMENT SHOWN ON PLAT. SAME AS EXCEPTION #16.)

EXCEPTION #20 - PUBLIC UTILITY EASEMENT BY WEST HAVEN 4000 S PROPERTY, LLC, A LIMITED LIABILITY COMPANY OF THE STATE OF DELAWARE. RECORDED: AUGUST 22, 2017 ENTRY NUMBER: 2874513

(10' PUBLIC UTILITY EASEMENT SHOWN ON PLAT)

EXCEPTION #21 - SUBJECT TO THE FOLLOWING MATTERS DISCLOSED ON THAT CERTAIN SURVEY DATED \_ 2020, PREPARED BY TREVOR J. HATCH. P.L.S. OCTOBER 12, 2020 AND LAST UPDATED \_ UTAH NUMBER 9031945, ON BEHALF OF REEVE & ASSOCIATES, INC. UNDER PROJECT NO. 7544-1 A. FENCE LINES DO NOT COINCIDE WITH RECORDED BOUNDARIES.

#### TITLE DESCRIPTION

PER OLD REPUBLIC NATIONAL TITLE INSURANCE COMPANY COMMITMENT NO. 181656 DATED AUGUST 31, 2020

COMMENCING AT A POINT ON THE NORTH RIGHT OF WAY LINE OF 4000 SOUTH STREET (SR 37) AS RECENTLY WIDENED, SAID POINT BEING 1202.53 FEET NORTH 89'23'49" WEST ALONG THE SECTION LINE AND 78.03 FEET NORTH 00°36'11" EAST FROM THE SOUTH QUARTER CORNER OF SECTION 3, TOWNSHIP 5 NORTH, RANGE 2 WEST, SALT LAKE BASE & MERIDIAN, AND RUNNING THENCE TWO (2) COURSES ALONG SAID NORTH RIGHT OF WAY LINE AS FOLLOWS: (1) SOUTH 43'43'00" WEST 32.56 FEET TO A POINT OF NON TANGENT CURVATURE OF WHICH THE RADIUS POINT LIES NORTH 01'34'38" WEST, THENCE WESTERLY ALONG THE ARC OF A 9359.00 FOOT RADIUS CURVE TO THE RIGHT A DISTANCE OF 417.17 FEET (CENTRAL ANGLE EQUALS 02'33'14" AND LONG CHORD BEARS SOUTH 89°41'59" WEST 417.14 FEET) THENCE NORTH 00°39'09" EAST 668.53 FEET, THENCE SOUTH 89'23'54" EAST 18.79 FEET TO A POINT OF CURVATURE THENCE EASTERLY ALONG THE ARC OF A 279.50 FOOT RADIUS CURVE TO THE LEFT A DISTANCE OF 95.61 FEET (CENTRAL ANGLE EQUALS 19'35'55" AND LONG CHORD BEARS NORTH 80'48'08" ÈAST 95.14 FEET) THENCE NORTH 71°00'11" EAST 35.74 FEET TO A POINT OF CURVATURE, THENCE EASTERLY ALONG THE ARC OF A 220.50 FOOT RADIUS CURVE TO THE RIGHT A DISTANCE OF 73.11 FEET (CENTRAL ANGLE EQUALS 18'59'49" AND LONG CHORD BEARS NORTH 80'30'05" EAST 72.77 FEET) THENCE DUE EAST 429.60 FEET TO A POINT OF CURVATURE, THENCE SOUTHEASTERLY ALONG THE ARC OF A 19.00 FOOT RADIUS CURVE TO THE RIGHT A DISTANCE OF 29.85 FEET (CENTRAL ANGLE EQUALS 90'00'00" AND LONG CHORD BEARS SOUTH 45'00'00" EAST 26.87 FEET) THENCE DUE SOUTH 122.59 FEET TO A POINT OF NON TANGENT CURVATURE OF WHICH THE RADIUS POINT LIES SOUTH 89'59'56" WEST THENCE SOUTHWESTERLY ALONG THE ARC OF A 215.49 FOOT RADIUS CURVE TO THE RIGHT A DISTANCE OF 185.96 FEET (CENTRAL ANGLE EQUALS 49'26'36" AND LONG CHORD BEARS SOUTH 24'43'14" WEST 180.24 FEET) THENCE SOUTH 49'26'28" WEST 83.93 FEET TO A POINT OF CURVATURE THENCE SOUTHWESTERLY ALONG THE ARC OF A 284.50 FOOT RADIUS CURVE TO THE LEFT A DISTANCE OF 244.67 FEET (CENTRAL ANGLE EQUALS 49'16'26" AND LONG CHORD BEARS SOUTH 24'48'15" WEST 237.20 FEET) THENCE SOUTH 00'10'02" WEST 89.55 FEET THENCE SOUTH 13.38.50" EAST 17.14 FEET TO THE POINT OF BEGINNING.

#### **AS-SURVEYED DESCRIPTION**

PART OF THE SOUTHWEST QUARTER OF SECTION 3, TOWNSHIP 5 NORTH, RANGE 2 WEST, SALT LAKE BASE AND MERIDIAN, U.S. SURVEY, DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF 4000 SOUTH STREET. SAID POINT BEING N89'23'52"W 1224.78 FEET AND N00'36'08"E 54.28 FEET FROM THE SOUTH QUARTER CORNER OF SAID SECTION 3; THENCE ALONG SAID NORTHERLY RIGHT OF WAY LINE ALONG A NON-TANGENT CURVE TURNING TO THE RIGHT WITH A RADIUS OF 9359.00 FEET, AN ARC LENGTH OF 417.17 FEET, A DELTA ANGLE OF 02°33'14", A CHORD BEARING OF S89°41'59"W, AND A CHORD LENGTH OF 417.14 FEET TO THE EASTERLY LINE OF ELLIES LANDING TOWNHOMES; THENCE NOO'39'09"E ALONG SAID EASTERLY LINE, 668.53 FEET TO THE SOUTHERLY RIGHT OF WAY LINE OF 3800 SOUTH STREET; THENCE ALONG SAID SOUTHERLY RIGHT OF WAY LINE THE FOLLOWING FIVE (5) COURSES: (1) S89°23'54"E 18.79 FEET; (2) ALONG A TANGENT CURVE TURNING TO THE LEFT WITH A RADIUS OF 279.50 FEET, AN ARC LENGTH OF 95.61 FEET, A DELTA ANGLE OF 19.35.55.". A CHORD BEARING OF N80'48'08"E, AND A CHORD LENGTH OF 95.14 FEET; (3) N71'00'11"E 35.74 FEET; (4) ALONG A TANGENT CURVE TURNING TO THE RIGHT WITH A RADIUS OF 220.50 FÉET, AN ARC LENGTH OF 73.10 FEET, A DELTA ANGLE OF 18°59'45", A CHORD BEARING OF N80'30'05"E, AND A CHORD LENGTH OF 72.77 FEET; AND (5) EAST 429.60 FEET; THENCE ALONG A NON-TANGENT CURVE TURNING TO THE RIGHT WITH A RADIUS OF 19.00 FEET. AN ARC LENGTH OF 29.85 FEET, A DELTA ANGLE OF 89'59'59". A CHORD BEARING OF S45'00'00"E, AND A CHORD LENGTH OF 26.87 FEET; THENCE ALONG THE WESTERLY RIGHT OF WAY LINE OF 3375 WEST STREET THE FOLLOWING SIX (6) COURSES: (1) SOUTH 122.59 FEET; (2) ALONG A TANGENT CURVE TURNING TO THE RIGHT WITH A RADIUS OF 215.49 FEET, AN ARC LENGTH OF 185.96 FEET, A DELTA ANGLE OF 49'26'36", A CHORD BEARING OF S24'43'14"W, AND A CHORD LENGTH OF 180.24 FEET; (3) S49'26'28"W 83.93 FEET; (4) ALONG A TANGENT CURVE TURNING TO THE LEFT WITH A RADIUS OF 284.50 FEET, AN ARC LENGTH OF 244.67 FEET, A DELTA ANGLE OF 49 16 28", A CHORD BEARING OF S24'48'15"W, AND A CHORD LENGTH OF 237.20 FEET; (5) S00'10'02"W 89.55 FEET; AND (6) S13'38'50"E 17.16 FEET; THENCE S43'43'00"W 32.54 FEET TO THE POINT OF

CONTAINING 383,301 SQUARE FEET OR 8.799 ACRES MORE OR LESS.

#### ZONING

ZONING REPORT PZR SITE NUMBER 140822-1 PREPARED BY THE PLANNING AND ZONING RESOURCE COMPANY DATED 10-19-2020.

PROPERTY ZONED "MIXED USE"

NO FRONT, SIDE, OR REAR SETBACKS SPECIFIED

LOT SIZE BUFFERING IS REQUIRED IN MIXED USE DEVELOPMENTS IN WHICH PROPOSED RESIDENTIAL LOTS ABUT EXISTING DEVELOPED PARCELS IN THE A-1, R-1 AND R-2 ZONES.

Reeve & Associates, Inc. - Solutions You Can Build On 🖛

MAXIMUM BUILDING HEIGHT NOT SPECIFIED

BUILDING SITE AREA REQUIREMENTS NOT SPECIFIED

4.69 PARKING SPACES REQUIRED

#### **NOTES**

PARCEL 080340070

3330 WEST 4000 SOUTH, WEST HAVEN, UTAH 84401

THE BASIS OF BEARING FOR THIS PLAT IS THE SECTION LINE BETWEEN THE SOUTH QUARTER LAKE BASE AND MERIDIAN, U.S. SURVEY, SHOWN HEREON AS N89°23'52"W.

FLOOD ZONE DESIGNATION "X" PER F.E.M.A. FLOOD INSURANCE RATE MAP, COMMUNITY PANEL NUMBER 49057C0425E DATED 12-16-05.

EVIDENCE OF RECENT EARTH MOVING WORK, BUILDING CONSTRUCTION, AND/OR BUILDING ADDITIONS OBSERVED IN THE PROCESS OF CONDUCTING THE FIELDWORK.

NO WETLANDS MARKERS OBSERVED IN THE PROCESS OF CONDUCTING THE FIELDWORK.

NO PROPOSED CHANGES IN STREET RIGHT OF WAY LINES AT TIME OF SURVEY.

8.799 ACRES TOTAL AREA

229 TOTAL ONSITE PARKING STALLS OBSERVED AT TIME OF SURVEY INCLUDING FOUR HANDICAPPED. 18 TOTAL OFFSITE PARKING STALLS ALONG 3800 SOUTH STREET. 134 TOTAL GARAGES WITH PARKING AREAS IN FRONT OF EACH.

THE PURPOSE OF THIS SURVEY IS TO PERFORM AN ALTA/NSPS SURVEY ON THE SUBJECT PARCEL. ALL BOUNDARY CORNERS WERE SET WITH A 5/8" REBAR AND PLASTIC CAP STAMPED "REEVE & ASSOCIATES" OR A NAIL AND WASHER.

COVERED PARKING AWNINGS ARE 9.5 FEET HIGH. PICNIC PAVILION IS 12.0 FEET HIGH.

THE "AS SURVEYED" LEGAL DESCRIPTION DESCRIBES THE SAME PROPERTY AS THAT DESCRIBED IN THE TITLE COMMITMENT LEGAL DESCRIPTION.

PROPERTY ABUTS AND HAS DIRECT ACCESS TO 3800 SOUTH STREET AND 3375 WEST STREET.

#### SURVEYOR'S CERTIFICATE

TO THE VARIABLE ANNUITY LIFE INSURANCE COMPANY, A TEXAS CORPORATION AND THE VARIABLE ANNUITY LIFE INSURANCE COMPANY - FORTITUDE, A TEXAS CORPORATION, AND THEIR SUCCESSORS AND/OR ASSIGNS, AS THE RESPECTIVE INTERESTS MAY APPEAR, BRIA HOLDINGS, LLC. A UTAH LIMITED LIABILITY COMPANY, THE CLAWSON GROUP, MOUNTAIN VIEW TITLE & ESCROW INC., AND OLD REPUBLIC NATIONAL TITLE INSURANCE COMPANY:

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2016 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 2, 3, 4, 6(A), 6(B), 7(A), 7(B)(1)(2), 7(C), 8, 9, 10, 11, 13, 14, 16, 17, 18, 19, AND 20 OF TABLE A THÉREOF. THE FIELDWORK WAS COMPLETED ON 10-08-2020.

DATE OF SURVEY: 10-12-2020 DATE SIGNED: TREVOR J. HATCH, P.L.S. UTAH NUMBER:




0 Ø S S S

> S S M E so its ECE.

 $\blacksquare$ 

<u>Project info.</u> Surveyor Designer: N. ANDERSON Begin Date: 10-12-2020 Name: WEST HAVEN ALTA SURVEY 1"=40' Scale: Checked: Number: <u>7544-01</u>



ASSOCIATES, ITAL. (801) 621-3100 FAX: (801) 621-2666 \*\*\*\*reeve-assoc.com land planners \* civil engineers \* land surveyors traffic engineers \* structural engineers \* landscape architects



RIPTION

DESCRIPTION

DATE

DESCRIPTION

EST QUARTER OF SECTION 3, T.5N., R.2W., S.L.B.&M., U.S. WEST HAVEN CITY, WEBER COUNTY, UTAH

ECETVED ROWDS 2020 BY. 66.83

Project Info.

Surveyor:

T. HATCH

Designer:

N. ANDERSON

Begin Date:

10-12-2020

Name: WEST HAVEN


ALTA SURVEY


Scale: 1"=40'


Checked:


Number: 7544-01

Sheet 6










SCALE: 1"=10'
TOTAL AREA: 7729 S.F.
BUILDING HEIGHT: 54.5'

520 S.F.

MAIL ROOM

SCALE: 1"=10'
TOTAL AREA: 520 S.F.
BUILDING HEIGHT: 14.2'




# **CLUB HOUSE**

SCALE: 1"=10' TOTAL AREA: 4338 S.F. BUILDING HEIGHT: 28.1'

## ALTA/NSPS SURVEY

PART OF THE SOUTHWEST QUARTER OF SECTION 3, TOWNSHIP 5 NORTH, RANGE 2 WEST, SALT LAKE BASE AND MERIDIAN, U.S. SURVEY WEST HAVEN CITY, WEBER COUNTY, UTAH OCTOBER, 2020



Project Info.

Designer:
N. ANDERSON

Begin Date: 10-12-2020

Checked: \_

5

Name: WEST HAVEN ALTA SURVEY Scale: \_\_\_\_\_1"=10'

Number: 7544-01

