NARRATIVE:

Boundary Consultants was retained by the A&M Knight Family Trust to adjust the boundaries of their parcels for distribution between the trust's heirs. This adjustment effects Weber County Tax Parcels 10-035-0014, -0015, -0062 and -063.

This survey was carried out using a Trimble S6 Total Station and a Trimble R8S GPS System, with ground distances being determined by GEOID Model CONUS 12B @ height 4392.00 feet and no calibration. Basis of Bearing for this survey is North as determined by the Utah TURN VRS System. Ancient fence lines encompass portions of the Subject Parcels which have been acquiesced to as boundary lines and have been honored as such with this survey, in concert with Q2 LLC v Hughes 368 P.3d 86 (2016) and other recent Utah Supreme Court Cases. The location of the Southeast Corner of Section 13 was determined from

Weber County Surveyor's Witness Monuments by distance — distance intersect. The North Quarter Corner of Section 13 is not in place, its location has been calculated from the Weber County Surveyor's "Monument Positions for Township 6 North, Range 3 West".

The right of way of 900 South Street was determined by retracing those certain Right of Way Corridor Design plans prepared by Caldwell Richards Sorenson, dated February 25, 2015.

ADJUSTED PARCEL 1 DESCRIPTION:

A parcel of land lying and situate in the Southeast Quarter of Section 13, Township 6 North, Range 3 West, Salt Lake Base and Meridian, Basis of Bearing for subject parcel being South 89°35'53" East 2654.53 feet measured between the Weber County brass cap monuments marking the Southwest Corner and South Quarter Corner of said Section 13; Subject parcel being more particularly described as follows:

Commencing at the South Quarter Corner of said Section 13, thence South 89°45'15" East 1133.45 feet coincident with the south line of the Southeast Quarter of said Section 13; Thence North 00°34'07" East 54.88 feet to a point on the north right of way of 900 South Street (SR-153), a number five rebar and cap stamped "PLS 356548" and the True Point

Thence North 00°34'07" East 257.23 feet to a number five rebar and cap stamped "PLS 356548"; Thence South 89°45'15" East 512.56 feet to a number five rebar and cap stamped "PLS 356548"; Thence South 00°14'45" West 278.27 feet to a point on said north right of way and a number five rebar and cap stamped "PLS 356548"; Thence the following five (5) courses coincident with said right of way, 1) westerly 169.80 feet along the arc of a 1547.52 foot radius curve to the left (center bears South 08°44'21" West) through a central angle of 06°17'12"; 2) South 00°32'55" West 2.48 feet; 3) North 89°28'52" West 100.68 feet; 4) North 02°19'59" West 3.86 feet; 5) North 88°57'57" West 244.19 feet to the point of beginning.

EXCEPTING THEREFROM THE FOLLOWING PARCEL:

A 21.00 foot wide right of way, known as 6150 West Street, lying and situate in the Southeast Quarter of Section 13, Township 6 North, Range 3 West, Salt Lake Base and Meridian. Basis of Bearing for subject parcel being South 89°35'53" East 2654.53 feet measured between the Weber County brass cap monuments marking the Southwest Corner and South Quarter Corner of said Section 13: Subject parcel being more particularly described as follows:


Commencing at the South Quarter Corner of said Section 13, thence South 89°45'15" East 1318.49 feet coincident with the south line of the Southeast Quarter of said Section 13; Thence North 00°14'45" East 52.33 feet to a point on the north right of way of 900 South Street (SR-153) and the True Point of Beginning:

Thence North 01°49'49" East 259.88 feet; Thence South 89°45'15" East 21.00 feet; Thence South 01°49'49" West 260.16 feet to a point on said right of way; Thence North 88°57'57" West 21.00 feet coincident with said right of way to the point of beginning.

ADJUSTED PARCEL 2 DESCRIPTION:

A parcel of land lying and situate in the Southeast Quarter of Section 13, Township 6 North, Range 3 West, Salt Lake Base and Meridian. Basis of Bearing for subject parcel being South 89°35'53" East 2654.53 feet measured between the Weber County brass cap monuments marking the Southwest Corner and South Quarter Corner of said Section 13; Subject parcel being more particularly described as follows:

Commencing at the South Quarter Corner of said Section 13, thence South 89°45'15" East 1133.45 feet coincident with the south line of the Southeast Quarter of said Section 13; Thence North 00°34'07" East 54.88 feet to a point on the north right of way of 900 South Street (SR-153), a number five rebar and cap stamped "PLS 356548"; Thence North 00°34'07" East 257.23 feet to a number five rebar and cap stamped "PLS 356548; Thence South 89°45'15" East 3.42 feet to a number five rebar and cap stamped "PLS 356548" and the True Point of Beginning: Thence North 00°14'45" East 693.96 feet to a number five rebar and cap stamped "PLS 356548"; Thence South 89°21'34" East 187.06 feet to a number five rebar and cap stamped "PLS 356548"; Thence South 00°14'45" West 692.67 feet coincident with the west right of way of 6150 West Street to a number five rebar and cap stamped "PLS 356548";



= EXCEPTION PARCEL

F .0063

0 13, MERIDIAN ENT 0062, ADJUST , -0015, TRUST PARCEL -035-001 0 CURVEY
PARCELS
I KNIGF
SITUATE IN
TH, RANGE

H


COUNT

RE:

59

<u>ta</u> P ਰ

 ∞





Southwest Quarter Section of said Section 13: thence North 00°24'07" East 56.64 feet to the north right of way line of the 12th Street Corridor (Weber County Project Number LG_WC_1200 South) and the True Point of

the prolongation thereof to a fence corner; Thence the following three (3)

3) South 89°21'34" East 1342.14 feet to a fence corner to a point in an ancient fence and acquiesced boundary line; Thence South 00°14'45" West 674.64 feet along said ancient fence line; Thence South 89°45'15" East 301.09 feet; Thence South 00°14'45" West 292.10 feet to a point on the aforesaid north right of way line; Thence the following six (6) courses coincident with said right of way, 1) Westerly 169.92 feet along the arc

2) South 00°26'52" West 2.47 feet; 3) North 89°37'43" West 100.68 feet; 4) North 02°19'59" West 3.86 feet; 5) North 89°06'40" West 558.89 feet;

LESS AND EXCEPTING THEREFROM the following described parcel of land: A parcel of land lying and situate in the Southeast Quarter of Section 13, Township 6 North, Range 3 West, Salt Lake Base and Meridian. Comprising 1.00 acre, 0.96 acres of Weber County Tax Parcel 10-035-0011 and a between the Weber County brass cap monuments marking the Southwest Corner and South Quarter Corner of said Section 13; Subject parcel being South 89°45'15" East 1325.58 feet coincident with the south line of the

644.72 feet to a number five rebar and cap stamped "PLS 356548" and

stamped "PLS 356548"; Thence North 00°14'00" East 275.00 feet to a South 89°48'00" East 158.40 feet to a point on the west right of way line of a 21.00 foot wide land and a number five rebar and cap stamped "PLS 356548"; Thence the following two (2) courses coincident with said west right of way 1) South 00°12'00" West 187.93 feet to a number five rebar and cap stamped "PLS 356548"; 2) South 00°34'07" West 87.07

Quarters of Section 13, Township 6 North, Range 3 West, Salt Lake Base South 89°35'53" East 2654.53 feet measured between the Weber County brass cap monuments marking the Southwest Corner and South Quarter

Commencing at the South Quarter Corner of said Section 13, thence South Southeast Quarter of said Section 13; Thence North 00°34'07" East 54.88 feet to a point on the north right of way of 900 South Street (SR-153), a number five rebar and cap stamped "PLS 356548" and the True Point

Thence North 88°57'57" West 314.69 feet coincident with said right of way stamped "PLS 356548": Thence North 00°21'56" East 1612.24 feet to a point in an ancient fence line an a number five rebar and cap stamped "PLS 356548"; Thence the following three (3) courses coincident with an ancient fence and acquiesced boundary, 1) South 89°35'30" East 935.85 feet to a fence corner; 2) South 00°34'23" West 658.58 feet to a fence corner; 3) South 89°21'34" East 1134.09 feet to a fence corner; Thence

F -0063

0 13, MERIDIAN |MENT |-0062 ADJUSTI -0015, \int_{0}^{∞} 0014 PARCEL
-035-0014
FAMILY 0 0 LYING ISHIP 6 COUNT RE) WEBER

> ultants 0 ar 0

8

